

### **Cost information about ADCETRIS**

Pfizer is committed to helping you understand your medication cost and resources that may be available. While what you pay will ultimately be based on many factors (eg, your health insurance plan or if there are financial support options available to you), this guide should help you feel more prepared for out-of-pocket payment expectations.

Select the option below that best describes your insurance situation:

ADCETRIS is a prescription medicine directed against the CD30 protein. It is used to treat:

- Adults with previously untreated Stage 3 or 4 classical Hodgkin lymphoma, in combination with chemotherapy (Adriamycin, vinblastine, and dacarbazine)
- Children 2 years of age and older with previously untreated high risk classical Hodgkin lymphoma, in combination with chemotherapy (doxorubicin, vincristine, etoposide, prednisone, and cyclophosphamide)
- Adults with classical Hodgkin lymphoma at high risk of coming back or becoming worse after a stem cell transplant
- Adults with classical Hodgkin lymphoma after a stem cell transplant fails or after at least 2 chemotherapy treatments fail and stem cell transplant is not an option
- Adults with previously untreated systemic anaplastic large cell lymphoma or other CD30-expressing peripheral T-cell lymphomas, including angioimmunoblastic T-cell lymphoma and peripheral T-cell lymphomas not otherwise specified, in combination with chemotherapy (cyclophosphamide, doxorubicin, and prednisone)
- Adults with systemic anaplastic large cell lymphoma after at least 1 combination chemotherapy treatment fails
- Adults with primary cutaneous anaplastic large cell lymphoma or CD30-expressing mycosis fungoides after systemic therapy (drugs that spread throughout the body)

### **Select Important Safety Information**

### **BOXED WARNING**

**PROGRESSIVE MULTIFOCAL LEUKOENCEPHALOPATHY (PML): Patients treated with ADCETRIS can have a rare, serious brain infection called PML that can lead to death.** Tell your doctor immediately if you have mood or behavior changes, confusion, problems in thinking or loss of memory, changes in vision, speech, or walking, or decreased strength or weakness on one side of the body. PML may also be caused by prior treatments or diseases that weakened your immune system.

### **Important Safety Information**

# What is the most important information I should know about ADCETRIS?

- PROGRESSIVE MULTIFOCAL LEUKOENCEPHALOPATHY (PML): Patients treated with ADCETRIS can have a rare, serious brain infection called PML that can lead to death. Tell your doctor immediately if you have mood or behavior changes, confusion, problems in thinking or loss of memory, changes in vision, speech, or walking, or decreased strength or weakness on one side of the body. PML may also be caused by prior treatments or diseases that weakened your immune system.
- Do not take ADCETRIS if you are receiving bleomycin

## What are the other possible serious side effects of ADCETRIS?

- Nerve damage (peripheral neuropathy). Tell your doctor if you have any numbness or tingling in your hands or feet or any muscle weakness.
- Allergic and infusion reactions. Tell your doctor if you
  experience symptoms of fever, chills, rash, or breathing
  problems within 24 hours of infusion. If you have a
  reaction, you may be given medicines before your
  ADCETRIS treatment.
- Blood problems. Serious cases, including death, of fever with a low number of white blood cells have occurred with ADCETRIS. Serious cases of a low number of white blood cells, a low number of platelets, or a low number of red blood cells can occur.

Your doctor will do blood tests to check your blood cell levels during ADCETRIS treatment. Your doctor may give you a medicine called G-CSF. Tell your doctor if you have a fever of 100.5°F or higher, chills, cough, or pain when you urinate.

- Infections caused by bacteria, fungi, or viruses have been reported.
- Tumor lysis syndrome is caused by the fast breakdown of cancer cells. Your doctor will monitor you for symptoms.
- Patients with severe kidney disease or moderate or severe liver disease may have more side effects and deaths than patients without kidney or liver problems.
- Liver problems. Serious liver problems, including death, can occur. Tell your doctor if you feel tired, do not feel like eating, have upper stomach pain, dark urine, or yellow skin and eyes (jaundice).
- Lung problems. Serious lung problems, including death, can occur. Tell your doctor if you have a new cough, a cough that gets worse, or feel out of breath.
- **Skin problems** called Stevens-Johnson syndrome and toxic epidermal necrolysis can happen. Tell your doctor if you have rash, hives, sores in your mouth, or blistering or peeling skin.
- Gastrointestinal (GI) problems. Serious cases, including death, related to the pancreas, stomach, intestine, and colon can happen. If you have lymphoma that involves your stomach or intestine, you could have a higher risk of GI problems. Tell your doctor if you have severe stomach pain, chills, fever, nausea, vomiting, or diarrhea.

• **High blood sugar.** Your doctor will test your blood during ADCETRIS treatment. Tell your doctor if you need to urinate more often than usual, are very thirsty, or have blurry vision.

The **most common side effects** in any study of ADCETRIS include:

- nerve damage (peripheral neuropathy)
- · feeling tired
- nausea
- diarrhea
- a low number of white blood cells
- infection in the nose or sinuses
- fever
- constipation
- vomiting
- hair loss
- · weight loss
- upper stomach pain
- a low number of red blood cells
- sores or swelling in the mouth and/or in the digestive tract
- · decrease in platelets
- fever with a low number of white blood cells

These are not all the possible side effects of ADCETRIS. Tell your doctor about any side effect that bothers you or does not go away. If you have certain side effects, your doctor may lower your dose, delay, or stop your ADCETRIS treatment.

## What should I tell my doctor before I start treatment with ADCETRIS?

- All your medical conditions, including if you have kidney, liver, or lung problems, an infection, or diabetes.
- If you are pregnant or plan to become pregnant.

  ADCETRIS may harm your unborn baby. Females who are able to become pregnant: Your doctor should give you a pregnancy test before starting ADCETRIS treatment. You should use effective birth control during ADCETRIS treatment and for 2 months after your last dose of ADCETRIS. Tell your doctor right away if you become pregnant or think you are pregnant during ADCETRIS treatment. Men with female partners who can get pregnant should use effective birth control during ADCETRIS treatment and for 4 months after the last dose
- If you are breastfeeding or plan to breastfeed. Do not breastfeed during ADCETRIS treatment.
- All the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. ADCETRIS and certain other medicines can affect each other.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="https://www.fda.gov/Safety/MedWatch or call 1-800-FDA-1088">www.fda.gov/Safety/MedWatch or call 1-800-FDA-1088</a>.

Please see Important Facts about ADCETRIS, including BOXED WARNING, at adcetris.com.







## For those with a commercial or an employersponsored health plan

What you pay for ADCETRIS will largely depend on your health insurance plan. Even so, there are other factors that will still affect cost (eg, indication, weight, dosing adjustments, and duration of therapy). Every plan has different out-of-pocket costs for the medications they cover, and most include an annual deductible. If you haven't met your annual deductible, it's likely that you'll pay a higher out-of-pocket cost until you meet your deductible.

If you have prescription drug coverage through a commercial or an employer-sponsored health insurance plan, your insurance provider will set a fixed copay or coinsurance percentage for you to pay for your prescriptions.

### SEAGEN SECURE® PATIENT ASSISTANCE PROGRAM

The Seagen Secure® patient assistance program is here to support you with accessing your prescribed ADCETRIS treatment. If eligible and enrolled,\* your dedicated Oncology Access Advocate will provide support personalized specifically for your needs. You also have access to other resources that Seagen Secure® offers to those prescribed ADCETRIS:



- Confirming your insurance coverage
- Evaluating out-of-pocket costs
- Helping you access alternative support options if you can't afford ADCETRIS

Talk to your healthcare provider or call **855-4SECURE** (855-473-2873) to learn how to enroll in Seagen Secure<sup>®</sup>.

<sup>\*</sup>Pfizer does not guarantee that enrollment will result in coverage and/or reimbursement. Please work directly with your healthcare provider to contact Seagen Secure\* for more details.



### For those with Medicare

What you pay for ADCETRIS will largely depend on your health insurance plan. Even so, there are other factors that will still affect cost (eg, indication, weight, dosing adjustments, and duration of therapy). Every plan has different out-of-pocket costs for the medications they cover, and most include an annual deductible. If you haven't met your annual deductible, it's likely that you'll pay a higher out-of-pocket cost until you meet your deductible.<sup>1</sup>

There are 2 main types of Medicare coverage plans—Original Medicare (Part A Hospital Insurance and Part B Medical Insurance) or a Medicare Advantage Plan (Part C). Some may have additional coverage, like Medicare drug coverage (Part D) or Medicare Supplement Insurance (Medigap).

ADCETRIS is typically covered under Medicare Part B as it is a drug administered by a healthcare professional. To learn more about your coverage, contact the Seagen Secure® patient assistance program or visit https://www.medicare.gov/providers-services/original-medicare.

We care about you being able to have access to ADCETRIS. If you're unable to afford ADCETRIS, an important first step is contacting the Seagen Secure® patient assistance program at **855-4SECURE** (855-473-2873). They may be able to help.

### **SEAGEN SECURE® PATIENT ASSISTANCE PROGRAM**

The Seagen Secure® patient assistance program is here to support you with accessing your prescribed treatment with ADCETRIS. If eligible and enrolled,\* your dedicated Oncology Access Advocate will provide comprehensive support personalized specifically for your needs. You also have access to other resources that Seagen Secure® offers to those prescribed ADCETRIS:



- Confirming your insurance coverage
- Evaluating out-of-pocket costs
- Helping you access alternative support options if you can't afford ADCETRIS

Talk to your healthcare provider or call **855-4SECURE** (855-473-2873) to learn how to enroll in Seagen Secure<sup>®</sup>.

\*Pfizer does not guarantee that enrollment will result in coverage and/or reimbursement. Please work directly with your healthcare provider to contact Seagen Secure\* for more details.

### Reference

1. Centers for Medicare & Medicaid Services (CMS). What Medicare covers. Medicare.gov. Accessed January 31, 2025. https://www.medicare.gov/providers-services/original-medicare



### For those with Medicaid

What you pay for ADCETRIS will largely depend on your health insurance plan. Even so, there are other factors that will still affect cost (eg, indication, weight, dosing adjustments, and duration of therapy). Every plan has different out-of-pocket costs for the medications they cover, and most include an annual deductible. If you haven't met your annual deductible, it's likely that you'll pay a higher out-of-pocket cost until you meet your deductible.

Medicaid is a joint federal and state healthcare coverage program. While federal law requires states to provide coverage for certain groups of people, states may offer additional coverage.

Out-of-pocket charges, as well as charges such as copayments, coinsurance, and deductibles vary by state and income for both inpatient and outpatient services.<sup>1</sup> To learn more about Medicaid coverage in your state, contact the Seagen Secure® patient assistance program or visit <a href="https://www.medicaid">https://www.medicaid</a>. gov/medicaid/cost-sharing/cost-sharing-out-pocket-costs/index.html.

### **SEAGEN SECURE® PATIENT ASSISTANCE PROGRAM**

The Seagen Secure® patient assistance program is here to support you with accessing your prescribed treatment with ADCETRIS. If eligible and enrolled,\* your dedicated Oncology Access Advocate will provide comprehensive support personalized specifically for your needs. You also have access to other resources that Seagen Secure® offers to those prescribed ADCETRIS:



- · Confirming your insurance coverage
- Evaluating out-of-pocket costs
- Helping you access alternative support options if you can't afford ADCETRIS

Talk to your healthcare provider or call **855-4SECURE** (855-473-2873) to learn how to enroll in Seagen Secure<sup>®</sup>.

\*Pfizer does not guarantee that enrollment will result in coverage and/or reimbursement. Please work directly with your healthcare provider to contact Seagen Secure\* for more details.

#### Reference

1. Centers for Medicare & Medicaid Services (CMS). Cost sharing out of pocket costs. Medicaid.gov. Accessed January 31, 2025. https://www.medicaid.gov/medicaid/cost-sharing/out-of-pocket-costs/index.html



## For those who do not have a health insurance plan, or their plan does not cover ADCETRIS

If you don't have a health insurance plan or your insurance does not cover your treatment with ADCETRIS, Seagen may be able to help.

Seagen Secure® is committed to supporting uninsured patients, and therapy may be provided free of charge for qualifying patients. Additional requirements apply and a patient must be enrolled in Seagen Secure® for an insurance and eligibility check. Please work with your healthcare provider to contact Seagen Secure® to determine eligibility and learn more about how it supports you.

### **SEAGEN SECURE® PATIENT ASSISTANCE PROGRAM**

The Seagen Secure® patient assistance program is here to support you with accessing your prescribed treatment with ADCETRIS. If eligible and enrolled,\* your dedicated Oncology Access Advocate will provide comprehensive support personalized specifically for your needs. You also have access to other resources that Seagen Secure® offers to those prescribed ADCETRIS:



· Confirming your insurance coverage

© 2025 Pfizer Inc. All rights reserved. PP-A1T-USA-0859

- Evaluating out-of-pocket costs
- · Helping you access alternative support options if you can't afford ADCETRIS

Talk to your healthcare provider or call 855-4SECURE (855-473-2873) to learn how to enroll in Seagen Secure®.

<sup>\*</sup>Pfizer does not guarantee that enrollment will result in coverage and/or reimbursement. Please work directly with your healthcare provider to contact Seagen Secure® for more details.



## Understanding list price

The list price of a medication is essentially the cost without insurance or financial support options factored in. It does not include other treatment-related costs (such as infusion center costs to administer ADCETRIS) or costs of other medicines taken with ADCETRIS.

Most people will not pay the list price, but it can influence your out-of-pocket cost. Since your out-of-pocket cost will be calculated based on many factors (such as your health insurance coverage, indication, weight, dosing adjustments, and duration of therapy), talk to your insurance plan provider first if you have coverage—they know the details of your plan. Be sure to contact your health provider to help you work with Seagen Secure® to find out what other financial options may be available to you.

The US list price or wholesale acquisition cost (WAC) for ADCETRIS is \$12,200.00 per 50-mg vial as of January 2025. Individual costs will vary based on a number of factors, including, but not limited to, indication, patient weight, dosing adjustments, duration of therapy, and health insurance plan.