

**tivdak**<sup>®</sup>  
tisotumab vedotin-tftv  
for injection 40 mg

## TivdakTexts can make a difference

Find out how this text message program can offer helpful eye care reminders and support throughout treatment with Tivdak.



Not an actual patient.

### What is TIVDAK?

TIVDAK is a prescription medicine used to treat adults with cervical cancer:

- that has returned or has spread to other parts of the body, **and**
- who have received chemotherapy that did not work or is no longer working.

### Important Safety Information

#### **What is the most important information I should know about TIVDAK?**

**Eye problems** are common with TIVDAK and can be severe. TIVDAK can cause changes to the surface of your eye that can lead to dry eyes, eye redness, eye irritation, corneal ulcers, blurred vision, and severe vision loss. **Tell your healthcare provider if you develop new or worsening vision changes or eye problems during treatment.**

Your healthcare provider will send you to an eye specialist to check your eyes before you start treatment with TIVDAK, before each infusion for your first 9 infusions of TIVDAK, and as needed for any new or worsening signs or symptoms of eye problems. Your healthcare provider will ask if you have any signs or symptoms of eye problems before each infusion. You will be referred to an eye specialist for any new or worsening signs or symptoms of eye problems.

**Continue reading information about eye problems on page 2.**

Please see additional [Important Safety Information](#) on pages 2 and 3 and read the [Important Facts](#) about TIVDAK, including **IMPORTANT WARNING** for eye problems, at the end of this document.

## What is the most important information I should know about TIVDAK? (cont'd)

Your healthcare provider will prescribe 3 different types of eye drops before you start treatment with TIVDAK. **Bring the eye drops with you to each infusion and use them as directed by your healthcare provider to reduce your risk of eye problems:**

- Use 1 drop of steroid eye drops in each eye before each infusion and continue to use your eye drops 3 times a day for 3 days after each infusion
- Use vasoconstrictor eye drops right before each infusion
- Use lubricating eye drops throughout treatment and for 30 days after your last dose of TIVDAK

**Do not** wear contact lenses throughout your treatment with TIVDAK unless you are told to use them by your eye specialist.

## What are the possible side effects of TIVDAK?

**Serious side effects of TIVDAK may include:**

**Eye problems.** See “**What is the most important information I should know about TIVDAK?**”

**Nerve problems (peripheral neuropathy)** are common with TIVDAK and can be serious. Tell your healthcare provider right away if you have new or worsening numbness or tingling in your hands or feet or muscle weakness.

**Bleeding problems (hemorrhage)** are common with TIVDAK and can be serious. Tell your healthcare provider or get medical help right away if you have signs or symptoms of bleeding during treatment with TIVDAK, including blood in your stools or black stools (looks like tar), blood in your urine, cough up or vomit blood, unusual vaginal bleeding, or any unusual or heavy bleeding.

**Lung problems.** TIVDAK may cause severe or life-threatening inflammation of the lungs that can lead to death. Tell your healthcare provider right away if you have new or worsening symptoms, including trouble breathing, shortness of breath, or cough.

**Severe skin reactions.** TIVDAK may cause severe or life-threatening skin reactions that can lead to death. Tell your healthcare provider or get medical help right away if you have signs or symptoms of a severe skin reaction during treatment with TIVDAK, including:

- Skin reactions that look like rings (target lesions)
- Rash or itching that continues to get worse
- Blistering or peeling of the skin
- Painful sores or ulcers in your mouth, nose, throat, or genital area
- Fever or flu-like symptoms
- Swollen lymph nodes

**The most common side effects of TIVDAK include:**

- Decreased red blood cell counts
- Numbness or tingling in your hands or feet
- Eye problems (conjunctival disorders)
- Nausea
- Tiredness
- Changes in liver function blood tests
- Nosebleed
- Hair loss (alopecia)
- Bleeding (hemorrhage)

Your healthcare provider may decrease your dose of TIVDAK, temporarily stop, or completely stop treatment if you have side effects.

# Important Safety Information (cont'd)

## What should I tell my healthcare provider before receiving TIVDAK?

### Tell your healthcare provider about all your medical conditions, including if you:

- have a history of vision or eye problems
- have numbness or tingling in your hands or feet
- have bleeding problems
- have liver problems
- are pregnant or plan to become pregnant; TIVDAK can harm your unborn baby. Tell your healthcare provider right away if you become pregnant or think you may be pregnant during treatment with TIVDAK
- are breastfeeding (nursing) or plan to breastfeed. It is not known if TIVDAK passes into your breast milk. Do not breastfeed during treatment and for at least 3 weeks after the last dose of TIVDAK

### Females who can become pregnant:

- Your healthcare provider should do a pregnancy test before you start treatment with TIVDAK
- Use an effective method of birth control during your treatment and for at least 2 months after the last dose of TIVDAK

### Males with female partners who can become pregnant:

- Use effective birth control during treatment and for 4 months after the last dose of TIVDAK

**Tell your healthcare provider about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Taking TIVDAK with certain other medicines may cause side effects.

These are not all of the possible side effects of TIVDAK. Discuss side effects with your healthcare provider. You may report side effects to FDA at 1-800-FDA-1088.

Please see the [full Prescribing Information](#) with [Medication Guide](#) about TIVDAK including an **IMPORTANT WARNING**.



## / **TivdakTexts:** A free program to assist you throughout treatment\*

**When you sign up for TivdakTexts,** you will receive helpful reminders about caring for your eyes while on Tivdak. You can also receive emotional support in the form of inspirational messages.


**Receive timely reminders about:**

- Bringing your eye drops to your infusion appointments
- Using your eye drops as prescribed throughout treatment

TivdakTexts will send you **reminders** to help you follow some of the steps of Tivdak Required Eye Care

To learn more about Tivdak Required Eye Care, [click here](#).

\*Message and data rates may apply. Check with your mobile service provider. See Terms of Use and Conditions at [https://docs.tivdak.com/Tivdak\\_Texts\\_Terms\\_and\\_Conditions.pdf](https://docs.tivdak.com/Tivdak_Texts_Terms_and_Conditions.pdf)



## / How to **sign up** for TivdakTexts\*

### Step 1:


- On your mobile phone, text the word **JOIN** to **74277**

### Step 2:

- When you get a message back from us, text the word **AGREE** to confirm joining the program

### Step 3:

- Then provide the following:
  - Your first name** so we can personalize messages
  - Your ZIP Code** so we can set your time zone
  - The date and time** of your upcoming Tivdak infusion



TivdakTexts offers **more** than just reminders

You'll also receive thoughtful quotes to help give you a boost of encouragement when you need it. **It's important to focus on your emotional needs while on treatment.**

\*Message and data rates may apply. Check with your mobile service provider. Message frequency will be based on your selections. Text HELP for help with the program. Text STOP to stop receiving messages. See Terms of Use and Conditions at [https://docs.tivdak.com/Tivdak\\_Texts\\_Terms\\_and\\_Conditions.pdf](https://docs.tivdak.com/Tivdak_Texts_Terms_and_Conditions.pdf). By initiating a text message, you agree to receive automated text messages from Pfizer. You can unsubscribe at any time. You represent that you are the subscriber of the number provided and 18 or older. You must notify Pfizer immediately if you relinquish the number provided. Consent is not required as a condition of purchasing any products or services.

Please see **Important Safety Information** on pages 1-3 and read the **Important Facts about TIVDAK**, including **IMPORTANT WARNING** for eye problems, at the end of this document.

tivdak<sup>®</sup>  
tisotumab vedotin-tftv  
for injection 40 mg



© 2024 Pfizer Inc. and Genmab A/S. All rights reserved. US-TVP-23-324-MT  
Tivdak and its logo are US registered trademarks of Seagen Inc. Genmab and its logos are trademarks of Genmab A/S and/or its subsidiaries.

Please see [Important Safety Information](#) on pages 1-3 and read the [Important Facts](#) about TIVDAK, including **IMPORTANT WARNING** for eye problems, at the end of this document.

# Important Facts

This is only a summary of important information about TIVDAK. Talk to your care team or pharmacist to learn more.

**tivdak**  
tisotumab vedotin-tftv  
for injection 40 mg

## What is the most important information I should know about TIVDAK?

TIVDAK can cause serious side effects, including:

**Eye problems.** Eye problems are common with TIVDAK, and can also be severe. TIVDAK can cause changes to the surface of your eye that can lead to dry eyes, eye redness, eye irritation, corneal ulcers, blurred vision, and severe vision loss. **Tell your healthcare provider if you develop new or worsening vision changes or eye problems during treatment with TIVDAK.**

- Your healthcare provider will send you to an eye specialist to check your eyes before you start treatment with TIVDAK, before each infusion for your first 9 infusions of TIVDAK, and as needed for any new or worsening signs or symptoms of eye problems.
- Your healthcare provider will ask if you have any signs or symptoms of eye problems before each infusion. You will be referred to an eye specialist for any new or worsening signs or symptoms of eye problems.
- Your healthcare provider will prescribe 3 different types of eye drops before you start treatment with TIVDAK. **Bring the eye drops with you to each infusion and use them as directed by your healthcare provider to reduce your risk of eye problems:**
  - Use 1 drop of steroid eye drops in each eye before each infusion and continue to use your eye drops 3 times a day for 3 days after each infusion.
  - Use vasoconstrictor eye drops right before each infusion.
  - Use lubricating eye drops throughout treatment and for 30 days after your last dose of TIVDAK.
- **Do not** wear contact lenses throughout your treatment with TIVDAK unless you are told to use them by your eye specialist.

See “**What are the possible side effects of TIVDAK?**” for more information about side effects.

## What is TIVDAK?

TIVDAK is a prescription medicine used to treat adults with cervical cancer:

- that has returned or has spread to other parts of the body, **and**
- who have received chemotherapy that did not work or is no longer working.

It is not known if TIVDAK is safe and effective in children.

## Before receiving TIVDAK

**Tell your healthcare provider about all of your medical conditions, including if you:**

- have a history of vision or eye problems
- have numbness or tingling in your hands or feet
- have bleeding problems
- have liver problems
- are pregnant or plan to become pregnant. TIVDAK can harm your unborn baby. Tell your healthcare provider right away if you become pregnant or think you may be pregnant during treatment with TIVDAK.

### Females who are able to become pregnant:

- Your healthcare provider should do a pregnancy test before you start treatment with TIVDAK.
- You should use an effective birth control during treatment and for 2 months after your last dose of TIVDAK.

### Males with female partners who are able to become pregnant:

- You should use an effective birth control during treatment and for 4 months after your last dose of TIVDAK.
- are breastfeeding or plan to breastfeed. It is not known if TIVDAK passes into your breast milk. Do not breastfeed during treatment and for 3 weeks after your last dose of TIVDAK.

**Tell your healthcare provider about all the medicines you take,** including prescription and over-the-counter medicines, vitamins, and herbal supplements. Taking TIVDAK with certain other medicines may cause side effects.

## How will I receive TIVDAK?

- TIVDAK will be given to you by intravenous (IV) infusion into your vein over 30 minutes.
- TIVDAK is usually given every 3 weeks.
- Your healthcare provider will decide how many infusions you need.
- Your healthcare provider will put cold packs on your eyes during each infusion.
- Your healthcare provider may decrease your dose, temporarily stop, or completely stop treatment with TIVDAK if you have side effects.

# Important Facts

This is only a summary of important information about TIVDAK. Talk to your care team or pharmacist to learn more.

**tivdak**<sup>®</sup>  
tisotumab vedotin-tftv  
for injection 40 mg

## What are the possible side effects of TIVDAK?

TIVDAK can cause serious side effects, including:

- See “What is the most important information I should know about TIVDAK?”
- **Peripheral neuropathy.** Nerve problems called peripheral neuropathy are common with TIVDAK, and can also be serious. Tell your healthcare provider right away if you get numbness or tingling in your hands or feet or muscle weakness.
- **Bleeding (hemorrhage).** Bleeding problems are common with TIVDAK, and can also be serious. Tell your healthcare provider or get medical help right away if you get signs or symptoms of bleeding during treatment with TIVDAK, including:
  - blood in your stools or black stools (looks like tar)
  - blood in your urine
  - cough up or vomit blood
  - unusual vaginal bleeding
  - any unusual or heavy bleeding
- **Lung problems.** TIVDAK may cause severe or life-threatening inflammation of the lungs that can lead to death. Tell your healthcare provider right away if you get new or worsening symptoms, including trouble breathing, shortness of breath, or cough.
- **Severe skin reactions.** TIVDAK may cause severe or life-threatening skin reactions that can lead to death. Tell your healthcare provider or get medical help right away if you get signs or symptoms of a severe skin reaction during treatment with TIVDAK, including:
  - skin reactions that look like rings (target lesions)
  - rash or itching that continues to get worse
  - blistering or peeling of the skin
  - painful sores or ulcers in your mouth, nose, throat, or genital area
  - fever or flu-like symptoms
  - swollen lymph nodes

The most common side effects of TIVDAK include:

- decreased red blood cell counts
- numbness or tingling in your hands or feet
- eye problems (conjunctival disorders)
- nausea
- tiredness
- changes in liver function blood tests
- nosebleed
- hair loss (alopecia)
- bleeding (hemorrhage)

TIVDAK may cause fertility problems in females and males, which may affect your ability to have children. Talk to your healthcare provider if this is a concern for you.

These are not all of the possible side effects of TIVDAK.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

## General information about the safe and effective use of TIVDAK

Medicines are sometimes prescribed for purposes other than those listed in a Medication Guide. If you would like more information about TIVDAK, talk with your healthcare provider. You can ask your pharmacist or healthcare provider for information about TIVDAK that is written for healthcare professionals.

## What are the ingredients in TIVDAK?

**Active ingredient:** tisotumab vedotin-tftv

**Inactive ingredients:** d-mannitol, l-histidine, l-histidine monohydrochloride, and sucrose.

## Get more information

- This is only a summary of key information about TIVDAK
- Talk to your healthcare provider or pharmacist to learn more
- Click [here](#) or visit [tivdak.com](http://tivdak.com) for the TIVDAK patient [Medication Guide](#) or information written for healthcare professionals called the [full Prescribing Information](#)
- If you need help paying for your medicine, visit [SeagenSecure.com](http://SeagenSecure.com) for program information

Visit [tivdak.com](http://tivdak.com) to learn more or call 1-855-4SEAGEN.



© 2024 Pfizer Inc. and Genmab A/S. All rights reserved. US-TVP-23-322-MT

Tivdak and its logo are US registered trademarks of Seagen Inc. Genmab and its logos are trademarks of Genmab A/S and/or its subsidiaries.