

**tivdak**<sup>®</sup>  
tisotumab vedotin-tftv  
for injection 40 mg

**For Caregivers**

Looking after  
someone taking Tivdak?

**Now, let's  
look out for you.**

Not an actual patient or caregiver.

## What is TIVDAK?

TIVDAK is a prescription medicine used to treat adults with cervical cancer:

- that has returned or has spread to other parts of the body, **and**
- who have received chemotherapy that did not work or is no longer working.

## Important Safety Information

### **What is the most important information I should know about TIVDAK?**

**Eye problems** are common with TIVDAK and can be severe. TIVDAK can cause changes to the surface of your eye that can lead to dry eyes, eye redness, eye irritation, corneal ulcers, blurred vision, and severe vision loss. **Tell your healthcare provider if you develop new or worsening vision changes or eye problems during treatment.**

Your healthcare provider will send you to an eye specialist to check your eyes before you start treatment with TIVDAK, before each infusion for your first 9 infusions of TIVDAK, and as needed for any new or worsening signs or symptoms of eye problems. Your healthcare provider will ask if you have any signs or symptoms of eye problems before each infusion. You will be referred to an eye specialist for any new or worsening signs or symptoms of eye problems.

**Continue reading information about eye problems on page 2.**

Please see additional [Important Safety Information](#) on pages 2 and 3 and read the [Important Facts](#) about TIVDAK, including **IMPORTANT WARNING** for eye problems, at the end of this document.

## Important Safety Information (cont'd)

### What is the most important information I should know about TIVDAK? (cont'd)

Your healthcare provider will prescribe 3 different types of eye drops before you start treatment with TIVDAK. **Bring the eye drops with you to each infusion and use them as directed by your healthcare provider to reduce your risk of eye problems:**

- Use 1 drop of steroid eye drops in each eye before each infusion and continue to use your eye drops 3 times a day for 3 days after each infusion
- Use vasoconstrictor eye drops right before each infusion
- Use lubricating eye drops throughout treatment and for 30 days after your last dose of TIVDAK

**Do not** wear contact lenses throughout your treatment with TIVDAK unless you are told to use them by your eye specialist.

### What are the possible side effects of TIVDAK?

**Serious side effects of TIVDAK may include:**

**Eye problems.** See “**What is the most important information I should know about TIVDAK?**”

**Nerve problems (peripheral neuropathy)** are common with TIVDAK and can be serious. Tell your healthcare provider right away if you have new or worsening numbness or tingling in your hands or feet or muscle weakness.

**Bleeding problems (hemorrhage)** are common with TIVDAK and can be serious. Tell your healthcare provider or get medical help right away if you have signs or symptoms of bleeding during treatment with TIVDAK, including blood in your stools or black stools (looks like tar), blood in your urine, cough up or vomit blood, unusual vaginal bleeding, or any unusual or heavy bleeding.

**Lung problems.** TIVDAK may cause severe or life-threatening inflammation of the lungs that can lead to death. Tell your healthcare provider right away if you have new or worsening symptoms, including trouble breathing, shortness of breath, or cough.

**Severe skin reactions.** TIVDAK may cause severe or life-threatening skin reactions that can lead to death. Tell your healthcare provider or get medical help right away if you have signs or symptoms of a severe skin reaction during treatment with TIVDAK, including:

- Skin reactions that look like rings (target lesions)
- Rash or itching that continues to get worse
- Blistering or peeling of the skin
- Painful sores or ulcers in your mouth, nose, throat, or genital area
- Fever or flu-like symptoms
- Swollen lymph nodes

**The most common side effects of TIVDAK include:**

- Decreased red blood cell counts
- Numbness or tingling in your hands or feet
- Eye problems (conjunctival disorders)
- Nausea
- Tiredness
- Changes in liver function blood tests
- Nosebleed
- Hair loss (alopecia)
- Bleeding (hemorrhage)

Your healthcare provider may decrease your dose of TIVDAK, temporarily stop, or completely stop treatment if you have side effects.

## Important Safety Information (cont'd)

### What should I tell my healthcare provider before receiving TIVDAK?

#### Tell your healthcare provider about all your medical conditions, including if you:

- have a history of vision or eye problems
- have numbness or tingling in your hands or feet
- have bleeding problems
- have liver problems
- are pregnant or plan to become pregnant; TIVDAK can harm your unborn baby. Tell your healthcare provider right away if you become pregnant or think you may be pregnant during treatment with TIVDAK
- are breastfeeding (nursing) or plan to breastfeed. It is not known if TIVDAK passes into your breast milk. Do not breastfeed during treatment and for at least 3 weeks after the last dose of TIVDAK

#### Females who can become pregnant:

- Your healthcare provider should do a pregnancy test before you start treatment with TIVDAK
- Use an effective method of birth control during your treatment and for at least 2 months after the last dose of TIVDAK

#### Males with female partners who can become pregnant:

- Use effective birth control during treatment and for 4 months after the last dose of TIVDAK

**Tell your healthcare provider about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Taking TIVDAK with certain other medicines may cause side effects.

These are not all of the possible side effects of TIVDAK. Discuss side effects with your healthcare provider. You may report side effects to FDA at 1-800-FDA-1088.

Please see the [full Prescribing Information](#) with [Medication Guide](#) about TIVDAK including an **IMPORTANT WARNING**.



Caring for another person is part of the human experience.

As you may already know, caring for a loved one with a health issue can have its difficulties. While at times challenging, caring for a loved one who has been prescribed Tivdak is a unique and special job.

As a caregiver, there are steps you can take to make sure that you and your loved one feel supported.

## / This guide is here to **help**



Not an actual patient or caregiver.

## / Always remember, **take care of yourself**

You can't take care of someone else until you take care of yourself. **Here are some helpful tips.**

**Reach out for support.** It's important to build a support system you can lean on. You are not in this alone!

**Take breaks.** Being a caregiver is hard work

**Ask for help** when needed and be open to sharing your responsibilities with others

**Keep track of your own moods.** If you don't feel like yourself, reach out for help

**Learn how to best communicate** with the care team

**Be open to new technologies** that can help you care for your loved one

### **Take breaks.**

Caring for a loved one on top of your daily tasks is not easy



Not an actual patient or caregiver.




## / Understanding **Tivdak**

Your loved one has been prescribed Tivdak.

### **So now what?**

First, it is important to understand Tivdak is not like traditional chemotherapy that your loved one may have received before for their cervical cancer.

Keep in mind that there are possible side effects with Tivdak—one of them being eye problems. Because of this, helping your loved one take steps to reduce their risk of eye problems is very important.



Not an actual patient or caregiver.



### **The care team is there to help.**

Speak with them to understand and help identify potential side effects your loved one may experience.

We'll talk more about what to look for and how you can support your loved one if they experience side effects later in this guide.

## / Eye care

### The eye exams

After your loved one has been prescribed Tivdak, they will be sent to an eye specialist. The eye specialist will check their eyes before starting treatment. Similar exams will take place before each of their first 9 infusions of Tivdak and as needed. This is to check for any new or worsening signs or symptoms of eye problems.

#### How can you help?

##### This checklist can help prepare you and your loved one for eye exams and other appointments

- ✓ **Keep a journal**  
Write down all appointments, side effects, and medical advice from the care team
- ✓ **Prepare a list of questions**  
Create a list of questions to ask your loved one's care team before each appointment
- ✓ **Organize documents**  
Make sure all important papers are up to date and are easy to find
- ✓ **Bring a medication list with you**  
Log all medications your loved one is taking

**An eye exam is required before the initial prescription of the steroid eye drops and before each prescription renewal**

### The eye drops

Either the oncologist or the eye specialist will prescribe 3 different types of eye drops. These drops will be used at different points during treatment.

- Steroid drops
- Vasoconstrictor drops
- Lubricating drops

#### How can you help?

##### Help your loved one stay on top of their infusions and eye drop schedules

- / **The Eye Drop Tracker**, located in the **Patient Brochure**, can help your loved one stay on top of their eye drop schedule
- / **TivdakTexts** can help you and your loved one keep track of their infusions and eye drop schedules

Learn more at [tivdak.com/support](https://tivdak.com/support)

# / The infusion

## The infusion appointment

Tivdak is given as an infusion once every 3 weeks. The doctor will work with your loved one to decide how many infusions they will need. The care team may also help your loved one apply some eye drops and cold packs during the infusion process.

### How can you help?



Remind your loved one to bring **all 3 eye drops to the infusion appointment**



They should **avoid contact lenses** once they begin Tivdak treatment unless the eye specialist says otherwise



They should **avoid putting things on or near their eyes**. This could irritate their eyes during treatment



**Arrange transportation** to help your loved one get to/from their appointments

## Between infusions

The care team will advise your loved one on eye drops to use at home and in between Tivdak infusions.

### How can you help?

**Make sure your loved one is checking their eyes daily.**  
**Be on the lookout for any new or worsening eye problems, such as:**

- Dry eyes
- Eye irritation
- Blurred vision
- Eye redness
- Light sensitivity
- Vision loss or impairment

#### Track their eye drops

Help your loved one stay on top of their eye drop schedule. The Eye Drop Tracker, located in the [Patient Brochure](#), can help you with this.

If your loved one experiences any new or worsening changes with their eyes,  
**call your loved one's care team right away**



## / Other **possible side effects** of Tivdak

Serious side effects of Tivdak may include eye problems, nerve problems (peripheral neuropathy), bleeding problems (hemorrhage), lung problems, and severe skin reactions. Tivdak can harm your unborn baby.

### **The most common side effects of TIVDAK include:**

- Decreased red blood cell counts
- Nausea
- Nosebleed
- Numbness or tingling in your hands or feet
- Tiredness
- Hair loss (alopecia)
- Eye problems (conjunctival disorders)
- Changes in liver function blood tests
- Bleeding (hemorrhage)

Any of these things can begin to happen in the days following your loved one's infusion. A side effect does not necessarily mean your loved one has to stop treatment. Your loved one's oncologist may need to adjust, pause, or stop their treatment if they have new or worsening side effects.

These are not all the possible side effects of Tivdak. For more information, see [Important Facts](#) about Tivdak included at the end of this document.

### **Check in on your loved one.**

If you notice any side effects, call your loved one's care team right away



Not an actual patient or caregiver.

## / What else **can you do?**

Sometimes, your loved one may just need to talk about what they are going through. They may have fears and concerns that they are not always upfront with sharing. Encourage them to be open and honest.

### **Lean in**

Help your loved one with household chores, such as shopping and cleaning

### **Plan out**

Prepare healthy meals for you and your loved one

### **Ask for help**

There are a number of groups that offer care and support for you and your loved one

Check out [tivdak.com/resources-and-support](https://tivdak.com/resources-and-support) for a list of resources for patients and caregivers

You can't take care of someone else until you **take care of yourself first!**

**Get plenty of sleep.** Take some time to relax and recharge

**Eat right and exercise.** Staying healthy is important so you can care for your loved one, but also so you can care for yourself

Don't feel the pressure to become an instant expert. **Learn a little each day about Tivdak** and how you can help your loved one



Not an actual patient or caregiver.

# / Does your loved one **need help** with access and out-of-pocket costs?

## Seagen Secure<sup>®</sup> offers support to enrolled patients\*

Seagen Secure<sup>®</sup> is a personalized support program for people prescribed Tivdak. When you or your loved one call Seagen Secure<sup>®</sup>, you will speak with an Oncology Access Advocate who can answer your questions and provide information about available resources and support.<sup>†</sup>

## Seagen Secure<sup>®</sup> may be able to help if your loved one<sup>‡</sup>:

**Doesn't have** any health insurance

**Isn't sure** if their insurance will cover their therapy

**Needs assistance** paying patient out-of-pocket costs



Call **855-4SECURE** (855-473-2873) to learn how to enroll your loved one in **Seagen Secure<sup>®</sup>**

\*Eligibility criteria apply. Financial support may be provided through third-party organizations that have their own eligibility criteria and enrollment processes. Pfizer does not guarantee that enrollment will result in assistance and/or reimbursement.

<sup>†</sup>Information provided by an Oncology Access Advocate is not intended to be a substitute for clinical advice from your healthcare provider. Discuss any questions you may have about your disease and your treatment with your healthcare team.

<sup>‡</sup>Seagen Secure<sup>®</sup> programs available for qualifying patients. Pfizer does not guarantee that enrollment will result in coverage, reimbursement, or financial support.

Not an actual patient or caregiver.



tivdak<sup>®</sup>  
tisotumab vedotin-tftv  
for injection 40 mg



© 2024 Pfizer Inc. and Genmab A/S. All rights reserved. US-TVP-23-323-MT  
Tivdak and its logo, and Seagen Secure and its logo, are US registered trademarks of Seagen Inc.  
Genmab and its logos are trademarks of Genmab A/S and/or its subsidiaries.

Please see [Important Safety Information](#) on pages 1-3 and read the [Important Facts](#) about TIVDAK, including **IMPORTANT WARNING** for eye problems, at the end of this document.

# Important Facts

This is only a summary of important information about TIVDAK. Talk to your care team or pharmacist to learn more.

**tivdak**  
tisotumab vedotin-tftv  
for injection 40 mg

## What is the most important information I should know about TIVDAK?

TIVDAK can cause serious side effects, including:

**Eye problems.** Eye problems are common with TIVDAK, and can also be severe. TIVDAK can cause changes to the surface of your eye that can lead to dry eyes, eye redness, eye irritation, corneal ulcers, blurred vision, and severe vision loss. **Tell your healthcare provider if you develop new or worsening vision changes or eye problems during treatment with TIVDAK.**

- Your healthcare provider will send you to an eye specialist to check your eyes before you start treatment with TIVDAK, before each infusion for your first 9 infusions of TIVDAK, and as needed for any new or worsening signs or symptoms of eye problems.
- Your healthcare provider will ask if you have any signs or symptoms of eye problems before each infusion. You will be referred to an eye specialist for any new or worsening signs or symptoms of eye problems.
- Your healthcare provider will prescribe 3 different types of eye drops before you start treatment with TIVDAK. **Bring the eye drops with you to each infusion and use them as directed by your healthcare provider to reduce your risk of eye problems:**
  - Use 1 drop of steroid eye drops in each eye before each infusion and continue to use your eye drops 3 times a day for 3 days after each infusion.
  - Use vasoconstrictor eye drops right before each infusion.
  - Use lubricating eye drops throughout treatment and for 30 days after your last dose of TIVDAK.
- **Do not** wear contact lenses throughout your treatment with TIVDAK unless you are told to use them by your eye specialist.

See “**What are the possible side effects of TIVDAK?**” for more information about side effects.

## What is TIVDAK?

TIVDAK is a prescription medicine used to treat adults with cervical cancer:

- that has returned or has spread to other parts of the body, **and**
- who have received chemotherapy that did not work or is no longer working.

It is not known if TIVDAK is safe and effective in children.

## Before receiving TIVDAK

**Tell your healthcare provider about all of your medical conditions, including if you:**

- have a history of vision or eye problems
- have numbness or tingling in your hands or feet
- have bleeding problems
- have liver problems
- are pregnant or plan to become pregnant. TIVDAK can harm your unborn baby. Tell your healthcare provider right away if you become pregnant or think you may be pregnant during treatment with TIVDAK.

### Females who are able to become pregnant:

- Your healthcare provider should do a pregnancy test before you start treatment with TIVDAK.
- You should use an effective birth control during treatment and for 2 months after your last dose of TIVDAK.

### Males with female partners who are able to become pregnant:

- You should use an effective birth control during treatment and for 4 months after your last dose of TIVDAK.
- are breastfeeding or plan to breastfeed. It is not known if TIVDAK passes into your breast milk. Do not breastfeed during treatment and for 3 weeks after your last dose of TIVDAK.

**Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.** Taking TIVDAK with certain other medicines may cause side effects.

## How will I receive TIVDAK?

- TIVDAK will be given to you by intravenous (IV) infusion into your vein over 30 minutes.
- TIVDAK is usually given every 3 weeks.
- Your healthcare provider will decide how many infusions you need.
- Your healthcare provider will put cold packs on your eyes during each infusion.
- Your healthcare provider may decrease your dose, temporarily stop, or completely stop treatment with TIVDAK if you have side effects.

# Important Facts

This is only a summary of important information about TIVDAK. Talk to your care team or pharmacist to learn more.

**tivdak**<sup>®</sup>  
tisotumab vedotin-tftv  
for injection 40 mg

## What are the possible side effects of TIVDAK?

TIVDAK can cause serious side effects, including:

- See “What is the most important information I should know about TIVDAK?”
- **Peripheral neuropathy.** Nerve problems called peripheral neuropathy are common with TIVDAK, and can also be serious. Tell your healthcare provider right away if you get numbness or tingling in your hands or feet or muscle weakness.
- **Bleeding (hemorrhage).** Bleeding problems are common with TIVDAK, and can also be serious. Tell your healthcare provider or get medical help right away if you get signs or symptoms of bleeding during treatment with TIVDAK, including:
  - blood in your stools or black stools (looks like tar)
  - blood in your urine
  - cough up or vomit blood
  - unusual vaginal bleeding
  - any unusual or heavy bleeding
- **Lung problems.** TIVDAK may cause severe or life-threatening inflammation of the lungs that can lead to death. Tell your healthcare provider right away if you get new or worsening symptoms, including trouble breathing, shortness of breath, or cough.
- **Severe skin reactions.** TIVDAK may cause severe or life-threatening skin reactions that can lead to death. Tell your healthcare provider or get medical help right away if you get signs or symptoms of a severe skin reaction during treatment with TIVDAK, including:
  - skin reactions that look like rings (target lesions)
  - rash or itching that continues to get worse
  - blistering or peeling of the skin
  - painful sores or ulcers in your mouth, nose, throat, or genital area
  - fever or flu-like symptoms
  - swollen lymph nodes

The most common side effects of TIVDAK include:

- decreased red blood cell counts
- numbness or tingling in your hands or feet
- eye problems (conjunctival disorders)
- nausea
- tiredness
- changes in liver function blood tests
- nosebleed
- hair loss (alopecia)
- bleeding (hemorrhage)

TIVDAK may cause fertility problems in females and males, which may affect your ability to have children. Talk to your healthcare provider if this is a concern for you.

These are not all of the possible side effects of TIVDAK.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

## General information about the safe and effective use of TIVDAK

Medicines are sometimes prescribed for purposes other than those listed in a Medication Guide. If you would like more information about TIVDAK, talk with your healthcare provider. You can ask your pharmacist or healthcare provider for information about TIVDAK that is written for healthcare professionals.

## What are the ingredients in TIVDAK?

**Active ingredient:** tisotumab vedotin-tftv

**Inactive ingredients:** d-mannitol, l-histidine, l-histidine monohydrochloride, and sucrose.

## Get more information

- This is only a summary of key information about TIVDAK
- Talk to your healthcare provider or pharmacist to learn more
- Click [here](#) or visit [tivdak.com](http://tivdak.com) for the TIVDAK patient [Medication Guide](#) or information written for healthcare professionals called the [full Prescribing Information](#)
- If you need help paying for your medicine, visit [SeagenSecure.com](http://SeagenSecure.com) for program information

Visit [tivdak.com](http://tivdak.com) to learn more or call 1-855-4SEAGEN.



© 2024 Pfizer Inc. and Genmab A/S. All rights reserved. US-TVP-23-322-MT

Tivdak and its logo are US registered trademarks of Seagen Inc. Genmab and its logos are trademarks of Genmab A/S and/or its subsidiaries.